# THE MEDICAL NEWS

## AND LIBRARY.

VOL. XXXIV.

CARete.

nces, rged 880r very en-

1 80 een ern

ons

troand

of ing

iry

is

rt.

e-

en W

of

DECEMBER, 1876.

No. 408.

## CONTENTS.

CT	2.30	TA	

## CLINICAL LECTURES.

#### HOSPITAL NOTES AND GLEANINGS

Popliteal Aneurism cured in two hours by the application of Esmarch's Bandage . Peculiar Luxation of the External Extre-mity of the Clavicle .

## MEDICAL NEWS.

Original Articles—Further Report of a Case of Sanguineous Discharge from the Va-gina of an Infant aged three months GOSSELIN'S CLINICAL LECTURES ON SURGERY

pital, Baltimore	ohen	44.446		2
	*	2		
International Congress of Ophth	almo	logy		20
Honors to American Physicians				20
Deaths from Chloroform .				20
International Medical Congress			12	20
Obituary Record	7.			20
Foreign Intelligence-Carbolic	Acid	l as	8	
Local Angesthetic	200	111	1	20
Administration of Sulphate of Qu	ainia			20

Domestic Intelligence-Johns Hopkins Hos-

Poison of Non-edible Mushrooms Experiments on Filtration . Utilization of Paris Sewage . Smallpox
University of Edinburgh
School of Medicine of Paris
Canadian Medical Association
Obituary Record

16 PAGES.

## CLINICS.

#### CLINICAL LECTURES.

Clinical Lecture on a Case of Malignant Stricture of the Esophagus. Delivered at the London Hospital, Oct. 17, 1876. By C. F. MAUNDER, F.R.C.S., Surgeon to the Hospital.

GENTLEMEN: You will recollect that while "going round" on Tuesday last I was requested by Mr. Mark Hovell, on behalf of Dr. Sutton, to see a patient with a view to performing gastro-stomachotomy. I will read the notes supplied by Mr. Hovell :-

"James W., aged fifty-seven. Malignant stricture of the œsophagus. Admitted July 5; died October 12, 1876. Patient has been a fairly healthy man, but suffered occasionally from sick head-No family history of tumours. The first time he noticed anything wrong

with his gullet was in May, 1875; and then, while having his dinner, found that one of the first mouthfuls he took (not an unusually large one) remained, after he had masticated and swallowed it, at a place in the œsophagus which he marked by pointing to about the middle of the sternum. He strained hard to swallow the morsel, but could not; then took several glasses of warm water, and after much retching succeeded in bringing the food up again, but he was so frightened at the occurrence that he went home and laid down. He ate his tea as usual that evening, and, as he had no subsequent trouble, gradually forgot the circumstance. Enjoyed good health for four

"In September, 1875, he noticed for the first time a sort of roughness in the œsophagus while swallowing, 'as if the food scraped him.' This scraping feeling

Published monthly by HENRY C. LEA, Nos. 706 & 708 Sansom Street, Philadelphia, for One Dollar a year; also furnished GRATUITOUSLY to all subscribers of the "American Journal of the Medical Sciences," who remit the Annual Subscription, Five Dollars, in advance, in which case both periodicals are sent by mail free of postage.

In no case is this periodical sent unless the subscription is paid in advance. VOL. XXXIV.-12

gradually increased. In about a fortnight | he felt as if there were something in his throat which prevented him from swallowing properly. Food seemed to go down for a certain distance, and then lodge, but on making a strong swallowing movement the food seemed to slip past the obstruction. This difficulty in swallowing slowly and steadily increased, and after a time food which had been swallowed was returned. This obliged him in February, 1876, to confine himself to liquid diet.

"In March he began to find that he could scarcely swallow liquids. He then went to a doctor, and a bougie was passed. After this he was able to swallow liquids for about another month, the stricture being kept open by a bougie passed two or three times a week.

"On admission, urine small in quantity, very cloudy, specific gravity 1019, acid; no albumen, blood, nor sugar. Brandy mixture two ounces, with the same quanof milk and beef-ten, ordered to be given as an enema every four hours.

"He has been in great part fed by nutrient enemata since admission, and during the first month he was in hospital he gained three pounds in weight. A bougie has been passed from time to time, but the attempt to pass one about a fortnight ago failed, and subsequent attempts have been equally unsuccessful. For the last few weeks only three enemata have been given daily, and at times he could not retain them. The addition of twenty drops of laudanum to each enema, however, enabled him to hold them better. He gradually became more and more wasted, and attery, being unable to retain enemata, complained of distressing thirst and of his mouth being dry.

"On October 11 an operation was performed. He retained an enema the same evening, and one the following morning, but none after. He sank gradually, and died on the evening of the 12th."

I will take up the case from the time of my seeing it. On reaching his bedside I observed some urine in his pôt de chambre highly charged with blood, apparently a new feature in his case. Finding that

of a cancerous stricture of the œsophagus, I thought it possible the urinary tract might be somewhere similarly affected, and thought it right to postpone the operation that I might see Dr. Sutton upon the subject. You must recollect that healthy kidneys are believed to be essential to the success of a serious operation. Dr. Sutton saw me the next day, and requested me to perform the operation : for although the patient could not last many days, Dr. Sutton thought he would die easier if his intolerable thirst (a most distressing symptom) could be relieved. Dr. Sutton also thought that the blood in the urine might be accounted for by passive congestion consequent on extreme weakness. Both the patient and numerous friends were anxious for operative interference. I concurred with Dr. Sut-

Operation .- In proposing to do this operation you will take care that your patient is not the subject of transposition of organs-a condition that has twice come under my notice-once in a dead subject and once in a living man. In the man under consideration the liver-dulness was natural, and the left hypochondriac region was markedly tympanitic, as though a distended stomach were thereits usual position. Great emaciation existed, with a receding abdomen. The patient was very feeble, having become unable to retain enemata, but he walked into the theatre. Chloroform was administered, and I made a longitudinal incision, from two to three inches in length, downwards from the point of the ninth rib and external to the sheath of the rectus muscle. Having divided the integuments and broad muscles seriatim, I reached the peritoneum, and severed this to a similar extent, and exposed small intestine. This being my first case of gastro-stomachotomy (an operation rarely performed), I had, in searching for the stomach, to rely upon a preconceived notion of the sort of sensation which that organ would yield to my finger when touched by it. I hoped, also, to be guided to it either by the left lobe of the liver, or possibly by the spleen. I altogether failed to detect it; and, havthe patient was deemed to be the subject | ing already of necessity explored the

203 CLINICS.

cavity to a degree inconsistent with the principle of non-interference (which I advocate and deem so essential to the success of abdominal surgery), I contented myself with opening what might be either colon or stomach. I called your attention to this important principle of non-interference, and illustrated its value by alluding to four cases-two infants and two adults-in which I had advised the making of an artificial anus by opening the abdominal cavity (gastro-enterotomy). Mr. McCarthy operated in one instance, myself in the other three. All recovered -a result I believe due to strict attention to special details. I was the less anxious to determine absolutely by more free exploration at the wound which viscus I was about to open, because, as the chief object of the operation was to relieve thirst, the injection of fluid could be made into either, though in larger quantities into the bowels; and it is a noteworthy fact that as the patient became unable to retain enemata, he complained more and more of thirst. The operation being completed, the patient was returned to bed, and died thirty hours subsequently.

At the post-mortem examination the anterior abdominal wall was cut away so as fully to expose the viscera. The artificial opening had been made in the transverse colon. The pyloric end of the stomach, empty and contracted, could be seen situated high up in the cavity. The left hypochondrium contained a hollow viscus, which Mr. McCarthy, who made the autopsy, at first thought was the distended stomach, but which proved to be the splenic angle of the colon; and this it was which yielded marked resonance on percussion prior to operation. This completely concealed the bulk of the stomach (quite empty and very contracted), which could only have been reached duriug life by tapping the intestine and dragging it down when collapsed. The intestines were greasy, as in the first stage of peritonitis. The middle of the cesophagus was the seat of cancer, and the right lung had a large nodule of a

found in them; and thus the blood in the urine was explained .- Medical Times and Gazette, Nov. 11, 1876.

Clinical Lecture on Stricture of the Urethra .- Delivered at the Liverpool Royal Infirmary. By REGINALD HARRISON, F.R.C.S., Surgeon to the Infirmary.

GENTLEMEN: The practice of this infirmary affords you abundant opportunities of observing the surgical disorders of the genito-urinary system, and of these cases of stricture of the urethra and the complications arising out of it form no inconsiderable proportion. Associated as I have been for some years with two of the hospitals in this town deriving a large number of their patients from the seafaring population connected with the port, my observation leads me to believe that amongst this class of the community stricture is a common disorder. And that it should be so is not surprising. Gonorrhœa, contracted on shore, in the debauch that frequently precedes the vessel's departure for some foreign part, breaks out two or three days afterwards. Treatment, except in the case of certain passenger vessels, is usually conducted by the captain or his mate, and not always with advantage to the patient. The old notion that every disorder consequent on promiscuous intercourse is "venereal," and must be treated by mercury, still prevails; and large doses of calomel, until profuse salivation is produced, is not rarely the only remedy administered for a gonorrhoal discharge. Some of the worst cases of stricture that I have seen have been occasioned, under similar circumstances, by resort to the most primitive proceedings for the relief of retention of urine. In the absence of catheters from the ship's medicine chest, or still more frequently, as I have found, from their rottenness, I have known instances where the wire from a soda-water bottle and an iron skewer have done duty in "forcing" a stricture. It is only a short time ago when a man was admitted into No. 1 ward with retention and a badly lacerated urethra, as a consequence of an attempt on the part of similar growth in it. The kidneys were the mate of his ship to reach the bladder congested, but no malignant deposit was by the aid of a pointed piece of wood,

roughly modelled to the shape of a bougie. In this instance the mate was more than professionally interested, inasmuch as he had occasioned the retention by kicking the patient behind the scrotum. The most remarkable piece of ingenuity some of you will remember as occurring a few months ago, where, after a sailor had endured for over three days the agonies of retention, an endeavour had been made to introduce through the urethra a piece of lead gas-piping, which had been devised, in extremis, for the purpose by the engineer of the ship. Unfortunately. however, this failed to effect the purpose. When I saw him on his arrival here, on the fourth day of retention, I found the urethra much lacerated, and it was with considerable difficulty that I introduced a catheter, and removed a large quantity of the most fetid urine imaginable. Relief, however, came too late, the man dying shortly after his admission with convulsions and uramic poisoning.

Though deploring that persons should be placed by circumstances in such unfortunate positions, I mention these cases for the purpose of showing you that your field for observation in this department of surgery is by no means restricted to routine, or even to the freaks of nature or disease. In undertaking to say anything about the treatment of stricture, I am conscious that the subject is a well-worn one. Still, with all our plans of treatment, we have not arrived at anything like uniformity of practice, and as this is only to be obtained by taking the sum of our respective experiences, I feel less hesitation in bringing under your notice some conclusions which my own experience, chiefly gathered in the wards of this hospital, has enabled me to arrive at. These considerations I hope to place before you during my course of clinical lectures this session. In using the term "stricture," I reserve it, as Sir Henry Thompson suggests in his eminently practical work on Diseases of the Urinary Organs, for one kind of stricture: viz., organic stricture. "Spasm" and "inflammation" are conditions more or less transient, but do not constitute stricture in the acceptation of was only a gleet, due to weakness, which

the term which is now generally adopted. The causes of stricture are various. Let me give a few illustrations. A patient has a venereal sore on his glans penis involving the meatus. When this heals a cicatrix is left. Cicatrices are more or less disposed to contract, and in this instance result in the narrowing of the urethral orifice. This condition was well illustrated by a case in No. 7 ward, where the same state of things was produced by an improperly performed operation for circumcision; a portion of the glans penis having been removed along with the prepuce. When the sore healed, the cicatrix contracted, and the patient presented himself here with a tight stricture of the meatus requiring division. Another cause of stricture amongst our sailor patients arises from injuries where the urethra becomes bruised or lacerated. A man falls from aloft across a spar or a rope, and ruptures his urethra. If the patient recovers from the immediate effects of the injury, it is with his urethra scarred. Here we have the worst variety of stricturetraumatic-a form of the disorder more obstinate to deal with than any other. In our inquiries as to the cause of stricture, we find that by far the larger proportion of our patients attribute their misfortune, directly or indirectly, to previous attacks of gonorrhea. Those who do so directly are disposed to look upon the stricture as the natural consequence of their previous mishap. Those who do so indirectly usually have something to say about the treatment employed and its bearing upon the subsequent formation of a stricture. It is worth our while for a moment to analyze the statements made by this latter class with the view of ascertaining how far their allegations hold good. "I was almost cured of my gonorrhoea, only a very slight discharge remaining, which I thought would go away of itself," is the statement of the patient who is convicted of his own indiscretion in having allowed things to go on from bad to worse. Others, again, seek refuge in referring their misfortune to the improper advice they have received. "I was told that it would go away by iron, tonics, and cold stituents, for the most part demonstrable, baths." Here we have illustrations of gleet terminating in stricture. being conveyed by the urine to the situation of the disorder? What is this but a

Now it is well for you, once for all, to understand that a gleet is not a disorder which is disposed to go away of itself; on the contrary, it requires careful and well considered treatment, and if it does not receive this—that is to say, if it is clumsily dealt with or not dealt with at all—it most probably ends in the formation of a stricture.

A gleet is to be regarded as indicative of the early formation of stricture. Nay, further, you will not do wrongly in regarding a gleet as the stage in the stricture-forming process when by your treatment you can promise your patient to restore his urethra to its normal condition; when a stricture is once allowed to become cicatricial in its character, you may palliate or adapt, but you can no more restore his urethra than you can by dissection or any other process remove a scar from his skin. You may moderate the inconveniences of a scar, but you cannot obliterate it. Let not, then, the curable stage of stricture pass by; at all events, let the onus of doing so rest with your patient, and not with yourself.

Again, it is very common to hear patients attribute their strictures to the use of injections in the treatment of their gonorrheas. A considerable amount of prejudice exists in the public mind in reference to the use of these applications. Patients not unfrequently say, when consulting you about a gonorrhea, "Do not order me an injection, as I understand they often occasion stricture." Is there any truth in such an allegation? Assuredly not, presuming, of course, injections are judiciously prescribed and properly used.

Let me remind you that the cure of gonorrhoea by specifics is essentially one on the principal of injection. For how do the drugs that act specifically on the urethra effect their purpose? How do we explain the action of copaiba, oil of sandal-wood, creasote, and certain terebinthinates, in the cure of gonorrhoea? Do not all these drugs exercise their therapeutic properties, by certain of their con-

stituents, for the most part demonstrable, being conveyed by the urine to the situation of the disorder? What is this but a cure by injection, or, to be etymologically correct, ejection? It is the urine of the patient that conveys the specific to the disease, just as the rose-water in your injection does the sulphate of zinc, or other astringents.

It is the abuse of injection that is open to animadversion. Injections in the treatment of gonorrhoea only do harm when, by reason of their composition or strength, they act as *irritants* to the mucous membrane.

In the ordering of urethral injections there are two rules which should be regarded: 1. Do not strain the urethra by the quantity of injection used. 2. Do not pain the urethra by the quality of the injection. A teaspoonful of fluid put into the urethra frequently is better than a tablespoonful forced in three times a day. This is a point upon which I have long insisted. In prescribing injections you should feel your way, adding to the strength according to circumstances. Some persons, it is well known, are far more sensitive to the action of remedies than others; and this applies equally to the urethra -" The temper of the urethra varies as much as the temper of the mind." An injection appropriate in strength to a first gonorrhœa is like the proverbial drop of rain on the duck's back in the case of the habitue. I remember ordering one of the latter an injection well known as "the four sulphates." It cured him effectually, and without pain. A friend, hearing of the success, borrowed the prescription, and, without proper advice, used it. The consequences were, an acute attack of cystitis and a subsequent stricture. Surely it is only to the foolhardiness of the sufferer that such an unfortunate result is to be attributed.

And I would here remark that I have seen a great deal of damage done and suffering occasioned by the use of some of the nostrum injections advertised throughout the country as "infallible cures" and "preventives." Many of them contain

<sup>&</sup>lt;sup>1</sup> Brodie on Diseases of the Urinary Organs, p. 50.

the ordinary astringents applicable to the | then applied above the knee to within their use.

These observations have been made with the view of showing that it is only by their improper use that injections are open to the charge of occasioning stricture. If they are prescribed in accordance with the rules I have given, you will never have cause to regret their use.

[Mr. Harrison then proceeded to speak of the pathology of stricture, illustrating his remarks by cases which have recently been under treatment in the infirmary. ]-Lancet, August 19, 1876.

#### HOSPITAL NOTES AND GLEANINGS.

Popliteal Aneurism cured in two hours by the application of Esmarch's Bandage .-D. M'H., labourer, æt. 29, was admitted into Manchester Royal Infirmary under the care of Mr. F. A. Heath, Oct 16. He stated that up to within three weeks of his admission he enjoyed good health. While at his work about that time he experienced a weakness and pain in the calf of his leg, and noticed a lump behind the knee, which throbbed a good deal, and gave him some pain. He had never had syphilis, but had been a pretty heavy drinker at times. On admission an aneurism, the size of a small orange, was found occupying the left popliteal space. It pulsated freely, and a distinct bruit could be heard in it. The tibial arteries at the left ankle could not be felt, but were plainly perceptible at the right ankle. The veins on the surface of the left leg were larger than those on the right, but there was no cedema of the limb. Heartsounds perfectly healthy, and area of cardiac dulness normal.

Oct. 17. At 10.15 A. M., after the limb had been elevated to empty it of blood, Esmarch's elastic bandage was carefully applied from the toes upwards, until the lower part of the popliteal space was reached. The patient was then directed to stand up in order to allow blood to flow into the aneurism, and the bandage was then lightly passed over it, a layer of

urethra, but in a very potent form. I three inches of Poupart's ligament, where caution you therefore against sanctioning it was secured. Temperature 98.6°; pulse 80. At 11 A. M., the patient was somewhat restless, and complained of great pain in the limb. One-third of a grain of morphia given subcutaneously. At 11.15 A. M., temperature 98.6°; pulse 90; Signoroni's tourniquet applied to the femoral artery in Scarpa's triangle, and Esmarch's bandage, having been on exactly one hour, was slowly removed; tumour felt hard, and no pulsation could be perceived in it. The leg and toes looked blue, and felt cold. The limb was enveloped in cotton-wool and flannel bandages to maintain the temperature. Pain was relieved on removal of Esmarch's bandage, and the patient appeared very cheerful. At 12.15 P. M., all pressure was taken off for a few moments, exactly two hours after the operation had been commenced. The tumour was quite hard, seemed a little smaller, and no trace of pulsation could be felt in it. A small vessel was noticed pulsating over the aneurism near to the external side: tourniquet reapplied. At 2.15 P. M., pressure was again removed for a short time: no pulsation in the tumour. At 4.15, just six hours after Esmarch's bandage was applied, the tourniquet was entirely removed, and the tumour on being examined was found to be quite hard, and free from pulsation. The patient was not in any pain. The tourniquet was applied lightly over the femoral artery, so as to control, but not to stop, the flow of blood

18th. 9.30 A. M.: Tumour much smaller and quite hard; no trace of pulsation to be felt in it. Limb quite warm. Three small arteries to be felt pulsating in front and at inner side of knee-joint.

19th. Tourniquet entirely removed. Aneurism hard and getting smaller.

Mr. Heath was led to adopt this method of treatment from the account which appeared in The Lancet of the 80th Sept. of the success attending a case of Mr. Wagstaffe's, and his account was followed step by step during the operation. It may fairly be assumed that the aneurism was cured at the end of the second hour, for cotton-wool intervening. The roller was the tumour was quite hard and free from pulsation at the end of that time.—Lancet, Nov. 4, 1876.

Peculiar Luzation of the External Extremity of the Clavicle.—The luxation of the clavicle directly backwards over the acromion is a form which is rarely seen. In neither "Malgaigne" nor the "Dictionnaire Encyclopédique des Sciences Médicales" is any mention made of it.

Michael H——, aged eighty-one, shoemaker, native of Antwerp, came to the hospital, complaining of inability to use his right arm. On the 7th September, while crossing the street, his foot slipped as he was getting on to the pavement, and he fell on to the back part of his shoulder.

At first sight the case appeared to be one of luxation of the head of the humerus forwards, several of the symptoms of that form of displacement being present. But upon closer examination it was easy to determine that the head of the humerus had not left its cavity, and that there was in reality a luxation of the clavicle, and not of the humerus.

The symptoms were briefly as follows: In front the internal extremity of the clavicle was prominent, the inferior and superior clavicular fossæ were effaced, and the distance between the middle line and the shoulder was diminished. At the shoulder the head of the humerus was found to be in its normal position. The articular surface of the acromion was found to be situated in front of the clavicle. Behind the acromion the external extremity of the clavicle could be readily distinguished. The articular surface of the latter was situated outside the acromion, and its anterior border corresponded with the posterior border of the acromial process. The head was slightly flexed, and turned towards the right. The elbow was separated from the body by a distance of ten centimetres. The spinal border of the scapula was prominent, and its inferior angle was pushed towards the spinal column. The movements of the arm were very limited, and caused much pain.

The patient was put under the influence suffered during her pregnanc of chloroform with the view of reducing convulsions instead of Tonic.

the luxation, but this was found to be impossible; accordingly his arm was fixed in a sling.

M. Nicaise, who was doing duty at that time for M. Péan, proceeded to make some experiments upon the dead body, in order to determine the mode of production of this form of luxation. With the section of the acromio-clavicular ligament it was impossible to produce the luxation. The trapezoid ligament was then cut, and it was then found easy to produce the desired displacement. The conoid ligament was left intact. From these experiments it may be inferred that the rupture of the trapezoid ligament is necessary for the production of this form of luxation.—

Lancet, Oct. 14, 1876.

## MEDICAL NEWS.

## ORIGINAL ARTICLES.

Further Report of a Case of Sanguineous Discharge from the Vagina of an Infant aged three months. By Edwin Parnham, M.D., Cambridge, Mass.—The urine of the mother of the child, Mrs. S., was examined three times, chemically and microscopically, and at no time were any evidences of renal trouble discovered.

Since the case was reported the child has developed an eruption of hereditary syphilis. On investigation of the family history it appears that about six years ago the father had a chancre and a bubo which suppurated. The mother has at no time given any indication of infection.

The infant has been weaned, and put upon a mercurial course, the drug being exhibited in the form of hydrargyrum cum creta. Under this treatment it has thriven, the eruption fading, and the child increasing in weight, though not so rapidly as before weaning. The weight (naked) when five months old (Nov. 7th, 1876) was 15 pounds.

Whether the development of such a disease as hereditary syphilis throws any light on the causation of the vaginal discharge I am unable to decide.

By a misprint it is stated in the preceding Number of the News, that the mother suffered during her pregnancy from Toxic convulsions instead of *Tonic*.

## DOMESTIC INTELLIGENCE.

Johns Hopkins Hospital, Baltimore.—
The trustees of this institution have been so fortunate as to obtain the services of Dr. John J. Billings, Assistant Surgeon, U. S. A., as professional adviser. This excellent appointment is another proof of the good judgment which the management has so far conspicuously displayed in the performance of their difficult task.

International Congress of Ophthalmology.

—This Congress met in New York on the 12th of September, pursuant to adjournment at London in 1872. The following officers were elected. President, E. Wiliams, M.D., of Cincinnati; Vice-Presidents, Mr. Brudenell Carter, of London, and Dr. E. Hansen, of Copenhagen; Secretary, Dr. C. S. Bull, of New York. A number of interesting papers were read before the Congress, and will appear in the volume of Transactions. A committee consisting of Mr. Carter and Drs. Hansen and Becker were appointed to designate, after consultation, the place of meeting in 1880.

Honors to American Physicians.—Mr. WILLIAM ADAMS, President of the Medical Society of London, inaugurated the winter session by delivering an address in which he gave a graphic and complimentary account of his visit to America as a delegate to the International Medical Congress. He concluded by proposing as corresponding fellows of the society, Drs. S. D. Gross, of Philadelphia; Austin Flint, of New York; Joseph Pancoast, of Philadelphia, and Surgeon-General Barnes, U. S. A.

Deaths from Chloroform.— The Ohio Medical Recorder for October, 1876, reports a case of death from the inhalation of chloroform occurring in a young woman aged 30, to whom it was administered for the extraction of a tooth.

Another case is reported in the Pacific Medical and Surgical Journal for the same month. The patient was a man who resided in Madison County, Indiana, and the anæsthetic was administered for the purpose of extracting a thorn from his foot.

Dr. W. T. McNurr reports (Pacific Med. and Surg. Journal, July, 1875) a case of this which occurred during the reduction of dislocated shoulder joint.

International Medical Congress.—We are requested to state that gentlemen who wish to obtain early copies of the forth-coming volume of Transactions of the International Medical Congress, held in Philadelphia, September 4–9, 1876, should forward their subscriptions without delay to the treasurer, Dr. Caspar Wister, 1803 Arch St., Philadelphia.

The price, to subscribers, is SIX DOL-LARS (\$6 00) per copy, payable in advance; but this rate will be considerably increased upon the day of publication.

OBITUARY RECORD.—Died in Pittsburg, Oct. 14th, 1876, of pneumonia, A. G. WALTERS, M.D., aged 65 years. Dr. Walters was a bold operator, and enjoyed a large practice. He was a native of Russia, and a graduate of the University of Berlin, but has resided in this country since 1836.

August 16, 1876, JULIAN S. SHERMAN. M.D., Professor of Orthopedic Surgery and Diseases of the Joints in the Chicago Medical College.

## FOREIGN INTELLIGENCE.

Carbolic Acid as a Local Anæsthetic.—
Dr. Bergorzini recommends a new painless mode of opening abscesses. It consists in placing in contact with the skin
for three or five minutes a mixture formed
of one part of glycerine and two parts of
carbolic acid. It produces neither redness nor swelling, and may be employed
with advantage in autoplastic operations,
and in the treatment of superficial neuralgia.—Med. Times and Gazette, Oct. 21,
1876, from Presse Méd. Belge, Oct. 8.

The anæsthetic properties of carbolic acid were first pointed out more than four years ago by Dr. J. H. Bill, U. S. Army, in an interesting paper in the Am. Jour. of the Medical Sciences for July, 1872.

Administration of Sulphate of Quinia.— Dr. Dorville prescribes from one-half to one gramme in a small glass of brandy at the commencement of the cold stage, to arrest the paroxysm or prevent subse- | the longevity has also augmented, and the quent attacks. In a moderate dose the action of the quinine is rapid and energetic, and its taste so taken is not very disagreeable .- Med. Times and Gazette, Nov. 4, from Union Med., Oct. 19.

Poison of Non-edible Mushrooms .- Dr. Schiff has demonstrated that these have a common poison, muscarina, and that its effects are counteracted by both atropia and daturia.

Experiments on Filtration -Mr. J. A. WANKLYN states that on continuing his experiments on the action of "Silicated carbon" filters, he has obtained results beyond his most sanguine expectations.

A solution of sulphate of quinine of such a strength that one gallon contained 8.26 grains of soluble sulphate of quinine (C20H24N2O2H2SO4,6H2O) was completely deprived of quinine by one single filtration through six inches of filter.

The liquid before filtration yielded 3.55 milligrammes of albuminoid ammonia per litre, and after filtration 0.02 milligrammes of albuminoid ammonia per litre.

A solution of the above strength is sensibly bitter to the taste, and after filtration is no longer bitter.

Chemists will thus perceive that the silicated carbon filter is endowed with extraordinary powers.

That carbon has some power in absorbing alkaloids has been known for years (vide Watts's Dictionary); but that it absorbs alkaloids absolutely and almost instantaneously is new. A fresh powdered silicated carbon filter must be an excellent antidote in poisoning cases .- The Sanitary Record, July 8, 1876.

Utilization of Paris Sewage .- Since 1868, the Paris sewage has been employed to irrigate the large plain of Gennevilliers, which is inclosed by the windings of the Seine. This irrigation has converted the arid soil of this plain into a market garden of extraordinary fertility. No one disputes this, but it has been alleged that the sewage has acted injuriously upon the population of the district. An investigation, instituted by Dr. Bergeron, has proved the groundlessness of this statement, for with an increased population Edinburgh.

mortality declined. The water from the wells which has filtered through the soil is found quite void of organic matters .-Med. Times and Gazette, Oct. 28, 1876, from Révue Méd., Oct. 9.

Smallpox .- London is threatened with an epidemic of this disease. The fatal cases of this disease, which were but 7 during the first quarter of this year, rose to 26 in the three months ending June, and further increased to 84 in the eleven weeks ending on the 16th of September.

During October the mortality of the disease diminished; the number of deaths during the week ending Oct. 28 was 15, as compared with 11, 16, and 22 in the three weeks immediately preceding. the week ending on the 4th of November the deaths mounted up to 21. The most unfavourable feature, says the Lancet (Nov. 11) of this week's return, is the wider distribution of the fatal cases. Further, on the 4th of November, the two Metropolitan Asylum District Smallpox Hospitals contained 231 inmates against 185 the preceding week. No less than 101 new cases were admitted during the week; the highest weekly number of admissions since the beginning of the present epidemic being 62.

University of Edinburgh .- Dr. GRAINGER STEWART has been elected Professor of Medicine to fill the vacancy caused by the death of Prof. Laycock.

School of Medicine of Paris .- It is stated (L'Union Médicale, Oct. 17th) that the city of Paris has commenced operations for the enlargement of this school. The size of the school will be tripled.

Canadian Medical Association .- This Society held its annual meeting at Toronto in August. The next meeting will be held in Montreal on the second Wednesday in September, under the presidency of Dr. Hingston of that city.

OBITUARY RECORD .- Died Sept. 21st. 1876, of phthisis pulmonalis, aged 64, THOMAS LAYCOCK, M.D., Professor of the Practice of Physic in the University of

The continued favor bestowed on the "American Journal of the Medical Sciences" and its adjuncts enables the publisher to maintain for 1877 the very liberal terms offered during the past year, and encourages the Editors in the effort to render these periodicals. if possible, indispensable to every reading physician.

The "MONTHLY ABSTRACT OF MEDICAL SCIENCE" will preserve the features which have already rendered it so popular, of presenting every month a carefully condensed and systematically classified view of the improvements and discoveries reported in the medical literature of both hemispheres. During the past year it has contained

36 ARTICLES ON ANATOMY AND PHYSIOL. 109 ARTICLES ON MIDWIFERY AND GYNÆCOL-

MAT. MED. AND THERAP.

47 OGY.
MED. JURISP. AND TOXICOL. MEDICINE. 234 u

169 SURGERY. HYGIENE.

Or, in all, 616 articles in a single year, with an elaborate Index, forming an octavo volume of about 600 closely-printed pages.

The "American Journal of the Medical Sciences" has the promise for 1877 of its usual variety of important contributions from distinguished members of the profession in all parts of the country. Special attention will be bestowed, as heretofore, on its Bibliographical Department and its Quarterly Summaries to keep its subscribers informed as to all subjects of professional interest from every quarter.

In the "MEDICAL NEWS AND LIBRARY" will be continued the translation, by Dr. STIMSON, of GOSSELIN'S "CLINICAL LECTURES ON SUBGERY," commenced in the number for July, 1876. New subscribers for 1877 can obtain the portion issued in 1876 or remittance of Fifty cents, if promptly made.

\*\* Cloth covers for binding the "ABSTRACT" and the "JOURNAL" will be forwarded free of postage, to advance-paying subscribers, on receipt of six cents in postage stamps for each cover. Of these there are two for the "JOURNAL" and one for the "ABSTRACT" in each year. and those for 1876 are now ready.

The terms for these periodicals will be continued as heretofore, during 1877, the "News and LIBRARY" being furnished without charge as a premium for advance payment to the "AMERI-CAN JOURNAL OF THE MEDICAL SCIENCES," and the "Monthly Abstract" being furnished at ONE DOLLAR per annum, in the same manner, as a further inducement—all being free of postage, as follows :-

## TERMS FOR 1877-ALL FREE OF POSTAGE.

The "American Journal of the Medical Sciences," published } Five Dollars. quarterly, 1150 pages per annum, when not paid for in advance,

The "MEDICAL NEWS AND LIBRARY," monthly, 384 pages per an-One Dollar. num, in advance,

The "MONTHLY ABSTRACT OF MEDICAL SCIENCE," about 600 pages Two Dollars per annum, in advance, and a Half.

The "JOURNAL" and the "NEWS AND LIBRARY," together, over } Five Dollars 1500 pages per annum, in advance, OR,

The "JOURNAL," the "NEWS," and the "ABSTRACT," together, Six Dollars. over 2100 pages per annum, in advance,

For the small sum of SIX DOLLARS per annum paid in advance, the subscriber will thus obtain three periodicals, containing in all over 2100 closely-printed octavo pages, free of postage.

## PREMIUMS FOR OBTAINING NEW SUBSCRIBERS.

Gentlemen who will remit in advance two subscriptions to the "Journal" for 1877, one of which must be for a new subscriber, will receive as a premium, free of postage, one of the following volumes at their choice:-

TILBURY FOX'S EPITOME OF SKIN DISEASES. (Just Ready.)
AUSTIN FLINT'S ESSAYS ON CONSERVATIVE MEDICINE. (Lately Issued.) TANNER'S CLINICAL MANUAL. Second Edition. SWAYNE'S OBSTETRIC APHORISMS. Second Edition. STURGES'S CLINICAL MEDICINE. CHAMBERS'S RESTORATIVE MEDICINE. WEST ON NERVOUS DISORDERS OF CHILDREN.

The safest mode of remittance is by bank check or postal money order, drawn to the order of the undersigned. Where these are not accessible, remittances for these Journals may be made at the risk of the publisher, by forwarding in REGISTERED letters. Address,

## HENRY C. LEA.

## INDEX.

Alteratives, 195 American Dermatological Association, 130 - Gynæcological Society, 116, 192 -- Medical Association, 111 colleges, meeting of representatives of, 114 - Neurological Association, 148 - Ophthalmological Society, 130 - Otological Society, 193 - Pharmaceutical Association, 193 - physicians, honors to, 208 - Public Health Association, 11, Anæmia, idiopathic, 76 Anæsthetics in London Hospitals, 44 Aneurism, nortic, giving rise to general dropsy, 38 -, external, Esmarch's bandage in, 196 -, inguinal, ligation of both exterbandage, 206 by Esmarch's , remarkable case of, 44 Argenteuil prize, 135 Ascaris in os uteri, 100 Association of Medical Superintendents of Insane, 193 Asthma, 85 Asylums, inebriate, 24 Bacteria in urine, 59 Baxter, disinfectants, 151 Bell, supra-pubic lithotomy, 79 Belladonna, opium as an antidote to, 41 - poisoning treated by jaborandi, 54 Bergonzini, carbolic acid as a local anæsthe-Besnier, diphtheria and croup, 132 Bile pigment, new plan for detecting, 85 Birdsong, treatment of tapeworm, 127 Birth, five children at a, 191 -, four children at a, 191 Bone, reproduction of, from periosteum, 77 Borax, antiseptic property of, 119 Bouchardat, poison in preserved meats, 149 Broadbent, salicylic acid in rheumatism, 73 Broca, cysticerci cellulosæ, 126 Bronchocele, 197

Alabama, Medical Association of, 97

e

f

f

f

Brown-Séquard on paralysis, 197 Bruit de galop in intestinal nephritis, 14 Brunton, alteratives, 195 ..., treatment of tapeworm, 15 Buchanan, mammary tumours, 65 Butlin, copious injections in intussuscep-tion, 29 Cæsarean section, 192 California Medical Society, 97, 117 Camphor, phenicated, 196 Canadian Medical Association, 209 Carbolic acid as a disinfectant, 10 - local ansesthetic, 208 Chloral, death from, 46 - for anatomical purposes, 58 100, 199, 208 Cholera in India, 134 Chorea, hyoscyamin in, 84 Chouppe, caution in hypodermic use of morphia, 99 Christian, over-distension of stomach from earbonie acid, 79 Christison, coca leaf, 100 Chronic movements in an old case of hemiplegia, 9 Citrate of iron and quinetum, 27 Clavicle, peculiar luxation of, 207 Clinical lectures - on abdominal tumour, 105 on acute necrosis, 71 on compound depressed fracture of skull, 137 on corymbiform arrangement of eruptions as indicative of nerve causation, 142 on destruction of rectum and colotomy, 121 on gelatinous disease of synovial membrane, 89 on glaucoma as a neurosis, 122 on ligation of both external iliacs for inguinal aneurisms, 185 on malignant stricture of the osophagus, 201 on mammary tumours, 65 on physical examination of urethra in cases of stricture, 17, 33

on pleuritic effusion, 49

Bronchus, removal of button from, 146

Clinical Lectures—
on stricture of the urethra, 203
coa leaf, 100
Code of Ethics, 194
Cold in head, cure for, 101
Coleman, bromide of potassium and oxide of zine in epilepsy, 39
—, chloral in variola, 110
Colic, lead, treatment of, 8
Colotomy, 121
Conception within forty hours after abortion, 80
Congress, International Medical, 1877, 87, 199

to, 11, 58, 80, 96, 110
Philadel-

phia, 57, 80, 129, 148, 153, 208

80, 208

Otological, 193

Connecticut Medical Society, 116

Craig, chloral for anatomical purposes, 58

Cysticerci cellulosæ, 126

Daltonism among sailors, 101
Damiana, botanical history of, 56
Depaul, visit of, to Brazil, 30
Diabetes, bromide of potassium in, 42
Diagnosis, surgical, 1
Diarrhea, hypodermic injections of morphia
in obstinate, 196

Diphtheria and croup, 132

treated with sulphate of iron, 132
Diplomas, bogus, 194
Disinfectants, 151
Dispensaries, private free, 31
District of Columbia, Medical Society of, 25
Douglas, constitutional hemorrhage, 147

Edinburgh, University of, 209
Elliott, paracentesis pericardii, 37
Epilepsy, bromide of potassium and oxide
of zinc in, 39
Eruptions, corymbiform arrangement of,
indicative of nerve causation, 142
Ether and chloroform, 13, 45
—, death from, 43, 110
Ethics, question in, 194
Examination, preliminary, 98
Exhibition, International, Bureau of Medical Service of, 94

Farnham, hemorrhage from vagina of infant, 191, 207

Pavre, Daltonism among sailors, 101

Feeding by subcutaneous injections, 14

Ferrier, cure for cold in head, 101

Filitration, experiments on, 209

Finnell, death from ether, 43

Flint, bromide of potassium in diabetes, 42

Foot, dislocation of, backwards, 109

Gamgee, artificial ice, 61

compound depressed fracture of skull, 137

preservation of ice at bedside, 118

Gangrene, pulmonary, eucalyptus globulus in, 99 Georgia Medical Association, 97 Gestation, prolonged, 10 Glaucoma as a neurosis, 122 Glycerine, poisonous properties of, 198 Gonorrhœa, corrosive sublimate in, 196 Goolden, lead chloride as a disinfectant, 28 Graduates in medicine in, 1876, 57, 82. Graduates in medicine in, 1876, 57, 82.

Habershon, idiopathic anæmia, 76
Hæmatokolpos, 108
Harrison, stricture of urethra, 203
Hayem, treatment of polyuria, 132
Headache, syphilitic, cured by calomel, 6
Heath, popliteal aneurism cured by Esmarch's bandage, 206

Heller, cure of rheumatism, 26
Hemiplegia, choreic movements in an old, 9
Hemorrhage, constitutional, 147
from genital organs of infant,

56, 111

Hernia, aspiration in femoral, 132

—, strangulated, congenital, 93
— inguino-scrotal, 40

Hip-joint disease, sea-side for, 119

Horses, roughing, 31

Hospital management, medical profession of New York on, 11

Humerus, old, unreduced dislocation of head

Hunter, John, and the Democrats, 63 Hutchinson, corymbiform arrangement of eruptions as indicative of nerve causation, 142

Ice, artificial, 61

—, preservation of, at bedside, 118
Iliacs, ligation of both external, 185
Ilium, separation of epiphysis of, by muscular action, 109
Imagination, force of, 47
Indiana, Illinois, and Kentucky, Tri-State
Medical Society, 11

— Medical Society, 116
Infant, unusually large, 148
Insane, mechanical restraint of, 150
Intussusception cured by copious injections,

Jaw, immobility of lower, 24
Johns Hopkins Hospital, 208
Johnston, preservation and staining of
fluids for microscopic use, 78
Joints, sulphuric acid in diseases of, 21
Jordon, destruction of rectum, 121
Journals, new, 25, 131

Kentucky State Medical Society, 80 Kidney, removal of wounded, 26 Krueg, feeding by subcutaneous injections, 14 Lawson, strangulated congenital hernia, 93 Lead, chloride of, as a disinfectant, 28 Legroux, ulcerated nipples, 27 Library, National Medical, 57 — of College of Physicians of Philadelphia

delphia, 81
Life, boundary between animal and vegetable, 62

Light, measurement of, 86 Liqueur de la Grande Chartreuse, 149 Lithotomy, supra-pubic, 79 Locomotor ataxy, nephritic pains in, 197

MacDonald, traumatic tetanus, 92 Madagan, salicylic acid in rheumatism, 84 Maine Medical Association, 193 Mammary tumours, 65 Marvaud, removal of wounded kidney, 26 Maryland, Medico-Chirurgical Faculty of, 97

Mason, cleft palate treated by nitric acid, 93
Maunder, abdominal tumour, 105
———, gelatinous disease of synovial

membrane, 89

, malignant stricture of the œsophagus, 201

, separation of epiphysis of ilium,

m'Coy, Cæsarean section, 192
Mats, poison in preserved, 149
Metagner, inoculability of tubercle, 14
Michigan Medical Society, 116
Milk, effects of cold on, 100
Mississippi State Medical Association, 130
Missouri Medical Society, 116
—Morphin, caution in hypodermic use of, 99
Morris, conservative surgery, 78
Mushrooms, poison of non-edible, 209

Necrosis, acute, 71
Nepveu, bacteria in urine, 59
Neuralgia, syphilitic, cured by calomel, 6
New Hampshire Medical Society, 130
— Jersey Medical Society, 116
— Sydenham Society, 134
— York State Medical Society, 130
Nipples, ulcerated, 27
Nostril, removal of cherry stone from, 98

Obituary Record, 12, 15, 26, 31, 44, 47, 58, 63, 84, 87, 103, 131, 135, 148, 151, 195, 199, 208, 209

Œsophagus, foreign body in, 57
Ogston, deligation of deep palmar arch, 145
Onyx with hypopyon, 23
Ophthalmoscope in injuries of head, 85
Osteotomy, subcutaneous, 188
Oulmont, hyosoyamin in chorea, 84

Palate, congenital cleft, treated by nitric acid, 93
Palmar arch, deligation of deep, 145
Panas, ophthalmoscope in injuries of the head, 85
Pancreas, tubercle of, 14
Paper, incombustible, 135
Paracentesis pericardii, 37
Paralysis, Brown-Séquard, 197

Paraplegia from a fall, 125 Paris, school of medicine, 209 Passage, strangulated inguino-scrotal hernia, 40 Pearce, quintriplets, 191
Pemberton, remarkable case of aneurism, 44 Pennsylvania State Board of Health, 43 Medical Society, 58, 116 Personal, 31, 195 Peter, syphilitic neuralgia and headache cured by calomel, 6 Philadelphia, sanitary condition of, 95, 195 Phillips, hemorrhage from genitals of an infant, 56 Plaster, new adhesive, 134 Pleurisy, suppurative, following pneumonia, 128 Pleuritic effusion, 49 Poisoning, chronic, 133 Polyuria, treatment of, 132 Post, disease of bladder resembling stone, 56 Potain, bruit de galop in interstitial nephritis, 14 Poultices, bacteria, 59 Prussia, medical statistics of, 47 Pulse, slow, 190
Putnam, salicylic acid in rheumatism, 42

Quinetum, 15
Quinia, brom-hydrate of, 110
—, sulphate of, administration of, 208

Ralfe, nortic aneurism causing general dropsy, 38
—, salicine in neute rheuumatism, 189
Raynaud, nephritic pains in ataxy, 197
Ream, triplets, 25
Rectum, destruction of, 121
Rees, chronic poisoning, 133
Reid, Esmarch's bandage in external aneurism, 196
Respiration, artificial, 149
Retinitis hemorrhagica as a consequence of gout, 23
Rheumatism, cure for, 26
—, sulicylic acid in, 42, 73, 79, 84,

143, 189
Rhode Island State Medical Society, 130
Richardson, Mosaic Sanitary Code, 85
Ringer, rheumatism treated by salicine, 143
Rivers pollution, 60
Robin, ovation to, 86
Rosenbach, detection of bile pigment, 85
Rumford medal, 118
Russell, choreic movements in an old hemiplegia, 9

45 Sewage, utilization of, 209 Skull, compound depressed fracture of, 137 Slagle, opium as an antidote to belladonna, tril, 98


-----, torsion and ligature, 133
Tisserand, effects of cold on milk, 100
Torsion and ligature, 133
Triplets, 25, 128
Tuberculosis, inoculability of, 14
Tumour, abdominal, 105
Twins, united, 150
Typhus fever and pawnbrokers, 102

Vagina, hemorrhage from, in an infant, 207
Vallette, ether and chloroform, 45
Varices, treatment of superficial, 133
Vesalius, portrait of, 86
Virginia Medical Society, 11
Vision, importance of accurate, in engine drivers, 30
Vivisection, report of Royal Commissioners on, 60

Wanklyn, experiments on filtration, 209
Ward, sponge tents, 191
Warts, chromic acid for, 99
Water, subcutaneous injection of, 27, 110
Waters, pleuritic effusion, 49
Watson, ligation of both external iliaes for inguinal aneurisms, 185
Wells, prolonged gestation, 10
West Virginia Medical Society, 12
Westmoreland, immobility of lower jaw, 24
White, rupture of uterus, 127
Whyte, salicylic acid in rheumatism, 79
Wills Ophthalmic Hospital, 82
Windpipe, foreign body in, 108
Wire, sewere accident caused by telegraph, 86
Woillez, artificial respiration, 149
Women, unsexing of, 102

Yellow fever, 194 Yokohama, Medical Society of, 150

Painte, congestian abut, treased by and cold on Painter, cods, deligation of these, 142 Paner, cylinholmoscop in Higher at the



A A A

## INDEX.

ABDOMEN, affections of the, see Abdominal symptoms.

Abdominal symptoms in fever, 56, 62, 135 seq., 142 seq., 146 seq. swelling, 139 tenderness, 139 aorta, Increased action of, 139

abscess, 149
Abernethy's chylo-poietic theory of disease,
219

Aborted typhus, 91 Abscess, hepatic, 111, 157 internal, in yellow fever of 1826-27, 111, 149

splenic (?), 149 simulated by the œdema in phlegmasia, 251

Absence of anatomical change in fever, 20 of symptoms unfavourable, 207 Abuses of the antiphlogistic treatment, 9 Acetate of lead and opium, 229

Acland, Dr., on preventive medicine, 35 on therapeutical research, 188 Affections, secondary, see Secondary affec-

Affusion, cold, 238

Age determining propriety of stimulation in fever, 197

Ague, see Intermittent fever.

Alison on change of type in disease, 12 on coexistence of various species of fever, 52

Alteratives, danger of using, 228

Anæmic condition of organs in fever, 58

murmurs, 131, 132, 133

Analogy between fevers and toxic diseases, 24 seq. and tubercle and syphilis, 32 and increased arterial pulsations in various diseases,

from effects of local depletion, 163, 164, 228

Anatomical character, diseases with an, 22 change may be absent in fever, 20, 59 sec.

expression for fever, wanting, 56 local symptoms in fever, 58 Anatomical school, 182; errors of, 182,

Anatomy fails to solve the problem of healthy life, 19

Andral's description of French fevers, 67

Annesley, Mr., on adhesive peritonitis, 157 Auster's, Dr., translation of Goethe's Faust, quoted, 19

Anticipative stimulation in fever, 195, 215; rules for, 195 in bronchial affection, 223

Antiphlogistic treatment not always called for in primary inflammation, 5 abuses of the, 9 contra-indicated in perforative peritonitis, 234

Aorta, increased action of abdominal, 189
pulse in patency of the, 140
Aphonia in laryngo-typhus, 106
Appendix A, 40: Appendix B, 253
Arachnitis, cerebro-spinal, 165 seq., 289
Armstrong's theory of fever, 218
Arteriotomy in delirium, 240
in headache, 238

in headache, 238 Asthenic pneumonia, 93 Astringents, 231

BANKS, Dr., on cerebro-spinal fever, 169
Bark, failure of, in intermittent fever,
6, 113

Beauty, Dr., on frottement of peritonitis, 158
Beaumont's, Dr., experiments on digestion, 190

Bed-sores, 209: treatment of, 212, 213 subject to law of periodicity, 210 Belly, see Abdomen and Abdominal.

Black vomit, 147 Blane, Sir Gilbert, on mortality in the Peninsular War, 3

Blisters, 225, 226 Blood, characters of the, in phlegmasia dolens, 247

Blood-letting, local, 164, 226, 327, 237 Blood-waste in fever, 120; urohæmatin as a sign of, 120

Boston, North, New York, outbreak of enteric fever at, 46 Brain, Louis' researches on the, in fever,

60 seg., 161 inflammation of the, see Cerebritis.

Brennan's, Dr., receipt to make a fever, 220

couplet on turpentine, 225
Brinkley, Bishop, problems on contagion, 30
Bromide of potassium, 175

Brouchial affection of fever, 68, 72 seq.



Bronchial affection of fever described, 73 Classification of diseases, 22 seq. not primarily bronchitis, 75 Clutterbuck's theory of fever, 218 subject to law of periodicity, treatment of the, 77, 228 seq. simulating phthisis, 78, 79 113 associated with weak heart, seq., 239 223 muscular fibre, paralysis of, 105, 223 Bronchitis, see Bronchial affection. Broussais, theory of fever held by, 6, 218 error of his school, 21 seq., 102, 137, 141, 161, 181, 218, 228 Buffed and cupped blood-clot, 16. MALCULI, bronchial, 83 Camp fever, 45 Cancerous cachexia, phlegmasia dolens in, Cardiac muscular fibre, weakening of, 105 affections in fever, 106 seq. softening, 117 excitement, 119, 200 depression, 121, 200 of, 154 murmurs, 131. See Heart. Catheterism in retention of urine, 243 Cause of fever, proximate, undiscovered, Causes of fever, various, 32, 34, 48, 185 Cerebritis in fever, 162, 222 Cerebro-spinal complications, 159 seq., 165 seq., 178 seq. causes of, 164 fever, 103, 160, 165 seq.; symptoms, 170 an essential disease, 168 Change of practice in treatment of fever, 10 cine, 34 seq. of type in disease, 10 Alison's views on, 12 seq. Christison's views on, 12 seq. the author's views on, 14 seq evidence from symptoms, 14 seq. from appearance drawn blood, 16 137 from pathological appearances, 16 from isolated sthenic cases, 17 from influence of treatment, 18 Change, anatomical, see Anatomical change. Changes, local, in fever, nature of the, 64 seq. Characteristics of fever, 54 Chest, effusion into the, 77, 105 Cheyne, Dr., on hysteria in fever, 177 on intestinal ulceration in late 82, 134 stage of fever, 63, 79 Chloral in fever, 175, 243

Choice of food in fever, 189

in disease, 12

Cholera, first invasion of, coincident with occurrence of change of type in disease,

Christison, Sir Robert, on change of type

Cold lotions, 237 affusion, 238 Colles, Mr. Abraham, on simulative ague, Collins, Dr. E., on epidemic of 1867, 166, Complications, see Secondary affections. Congestions of the lung in fever, 89 Consolidation of lung, treatment of, 226 Consolidations of the lung in fever, 89; critical, 91 ending in sphacelus, 96 differential diagnosis of, 97 Constipation, treatment of, 229 Contagion, 23, 27 seq. implies essentiality in disease, 28 arguments in favour of, 29 seq. problems on, 30, 31 in enteric fever, 46 Continued fever, see Fever. Continuity, diagnosis of internal solutions Convalescence, imperfect, 79 Convertibility of zymotic diseases, 39 Convulsions, 243; uræmic, 244 Correlation of zymotic diseases, 39 Corrigan, Sir Dominic, cases of cerebritis in fever, 163 on attention to the bladder, 243 Crepitus redux absent in resolution of typhous consolidation, 102 Crisis in fever, 92 Critical consolidation of lung, 91, 226 Croly, Mr., on cerebro-spinal fever, 171 Curative contrasted with preventive medi-Cusack, Mr., cases of tubercular fever, Cusack, Dr. Samuel, on wine and opium in puerperal fever, 235 DANGER, sources of, to patient, 21, 188, Deglutition, power of, retained, 205, 214 Delirium, Louis' investigations on, 60 seq., 103, 159, 161 in fever 239; treatment of, 240 seq. toxic, 240 asthenic, 241; stimulants in, 241 Depletion, local, 163, 226, 227, 237 Deposit, specific typhous, 64 seq. Description of continued fever, 20, 217 Diagnosis in presence of fever, 56, 59, 98 from want of accordance of phenomena, of softening of the heart in fever, 134 of intestinal perforation, 140 of internal solutions of continuity, 154 Diarrhœa, treatment of, 229; diet in, 231 Digestion, Dr. Beaumont's experiments on, 190 in fever, 191, 192; influence of rank on, 192 Disease, theories of, 5, 6

D

Di

F

Disease, return to sthenic forms of, 17
vital character of, 18
sources of danger in, twofold, 21, 188, 195
classification of, 22 seq.
toxic, 25
endemic, see Endemic disease.
essential, 29; contagious, 33
acute, two phases in history of, 38
correlation of zymotic, 39
convertibility of zymotic, 39
Dothinenteritis, 136, 137
Dry-cupping, 225, 244
Dublin, epidemics in, 37, 42, 44, 165, 172

ague,

166,

6

89;

ons

tis

i-

n

ECCHYMOSES, 168 Eclectic school, 183, 217 Edinburgh, epidemics of fever in, 13 Effusion into the chest, 77, 105 Embolism, pulmonary, in phlegmasia dolens, 248 Emetics in bronchial affections, 224 Empiric, 180 Empiricism, 180 Endemic disease arises independently of contagion, 28 Enemata, nutrient, 214 aperient, 229 of turpentine, 230, 245 Enteric fever, 45; contagious, 46 and typhus contrasted, 45 causes of, 38; Murchinson on, 38; Sir W. Jenner on, 38; author's views, 38, 39 resemblances between, and typhus, 50 seq., 135, 208 and typhus, species, not genera, of fever, 51, 135 Epidemic character, 42, 44, 252 Epidemic of 1826-27, 44, 137, 143, 146 of 1847, 52 of 1867, 160, 165, seq. of 1846, 172 Epidemics of fever in Edinburgh, 13 in Dublin, 37, 42, 44, 165, 172 in Stockholm, 180 Epidemics within epidemics, 166 Eruption of rose-spots, 145 Eruptions, 145, 208 Essential disease, see Disease. fever, 55

FAMINE fever, 52 seq.
Fatty degeneration of heart, slow pulse in, 129
Fear, physical, 3
Febris nigra, 166, 173
Fever, continued, importance of a practical knowledge of, 1

Essentialism in fever proved, 44

Etat poisseux of heart, 107
Excitement of heart in fever, 119
Expectoration of calculi after fever, 83
Eye, condition of the, in fever, 61

in all its forms, 2, 179 seq mortality of, in the Peninsular War, 3 may be the opposite of an inflammation, 5 described, but not defined, 20, 217 proximate cause of, as yet undis-covered, 23, 184 nature of its secondary affections, 26 causes of, are various, 32, 34 seq., 48 contagion a cause of, 27 seq. analogy between, and tubercle and syphilis, 33 varieties of, dependent on epidemic character, 42 observed in the same epidemic, 43, and in members of the same family, 43 resemblances between forms of, 49, 50 seq. species, not genera, 51, 135 characteristics of, 54 no anatomical expression for, 56 pathological conditions of, 66 seq. treatment of, change of practice in, 10, bronchial affection of, 72 seq. pulmonary affections of, 72 seq. cardiac affections of, 106 seq.; intes-tinal, 235 seq.

Fever, principle of treatment of, the same

cardiac affections of, 106 seq.; intestinal, 235 seq. cannot be cut short, 186 intermittent, see Intermittent fever. temperatures in [Appendix B], 253 Fever-odour, 197 Fevers, distinctions between, and neuroses.

23
analogies between, and toxic diseases,
24 seq.
subject to law of periodicity, 23

subject to law of periodicity, 25
causing secondary affections, 23
transmissible by contagion, 28
knowledge of, negative, 122
Flint, Dr. Austin, on contagiousness of
enteric fever, 46

Floccitatio, 248
Feetal heart in fever, 124, 128, 199, 203
Food in fever, 188

Dr. Graves on giving, 188 seq. choice of, 189; rules for giving, 190

Foot, Dr. A. W., a case of hysteria in fever, 174 observations on temperature in

fever [Appendix B], 253
Fordyce, Dr., definition of fever, 179
Foudroyante, Méningite, 167
Frottement of peritonitis, 158
Functional or nervous local symptoms in
fever, 57, 59, 159, 165, 173

CANGRENE of lung, 96, 227 Tin epidemic of 1826-27, 147 Gangrenous vesicles, 209 Gastro-catarrhal typhus, 73 Genera of fever do not exist, 51, 185

Int

Int

In

Iri

Je

K

L

L

L

L

L

L

I

treatment of, 227 seq perforation, 151 seq.; latent, 151 intussusceptions, 148

Geographical variation in form of fever, 67, | Heart in fever, diminution of sounds of, 125 seq., 199 physical signs of, 126, 199 Goethe, Quotation from, 19; referred to, murmurs of the, 131 seq. Gordon, Dr., on cerebro-spinal fever, 166, "Heart, fœtal," 124, 128, 199, 203 168, 171 Hepatic abscess, 111, 157 and coincident epidemic of Hudson, Dr., on tympanitic resonance in measles, 173 typhous consolidation of lung, Graves, Dr., on causes of epidemics of fever, 86 cerebritis in fever, 162, 163 of typhus, 37 arteriotomy in delirium, 240 on temporary pneumothorax in on turpentine in tympanites and pneumonia, 101 sleeplessness, 242 on yellow fever of 1826-27, 111, Humoral theory of disease, 5 150, 172 Huss, Professor, on epidemic of 1841 at Stockholm, 180 on treatment of fever, 182; on food in fever, 188 on value of turpentine, 225 on nutrient enemata, 214 on value of turpentine, 225 Hypercatharsis, danger of, 229 Hysteria in fever, 173 seq. ; Dr. Foot's case on acetate of lead and opium, 229 of, 174 on opium in intestinal perforation significance of, 173, 176 and peritonitis, 233 masking diseases, 176 opposed to treatment of perforaoutbreak of, in fever-ward, 177 tive peritonitis by antiphlogis-tics, 234 CE, 238; mode of applying, 238, 240 on tartar emetic and opium, 242 Idiopathic inflammation, Grimshaw, Dr., on defective sanitary state pyæmia, 110; iritis, 184 of Dublin, 38 Ileo-tecal tenderness, 139 Gurgling in ileo-cæcal region, 141 gurgling, 141 Ileum, ulceration of, 143; latent, 139 HEMORRHAGE, intestinal, 235; treatment of, 236 perforation of, 153 Impulse of heart, progressive diminution of, 122, 123, 124, 199 "vermicular," 123 Hemorrhagic smallpox, 178 Hardcastle, case of, 206 seq. Harley, Dr. George, on urohæmatin as an effect of position on, 124 indication of blood-waste, 120 Indications for stimulation, 197 Harvey's, Dr., advice, 191 Inflammation, erroneous views as to the Haverty, Mr., on cerebro-spinal fever, 169 universality of, 4 Hayden, Dr., observation of tympanitic resonance of lung, 101
 Head symptoms in fever, 56, 59 seq., 159 acute febrile diseases may be the opposite of, 5 primary and antiphlogistic treatment of, 5 8eq. treatment of, 237 seq. erroneous ideas conveyed by the word, absence of, an indication for use of stimulants, 215 secondary, in fever, 103, 142, 224 retraction of, 171 something the reverse of, 4, 130 shaving the, 238 Head-ache, 237; treatment of, 237 of brain rare in fever, 159 a cause of nervous symptoms, 164 flammation, healthy," 110 Heart, fatty degeneration of, slow pulse in, "Inflammation, healthy, 129 Inflammatory theory of disease, 5, 181 chronic failure of the, 196 symptoms in fever, 58 escape of, in fever, 200 Insomnia, 242 arrest of the, in phlegmasia dolens, 248 Intermittent fever, 112 seq., 127 seq., 114 seq., 121 seq., 127 seq., 198 seq. not altered except in rate, 115, failure of bark in, 6, 113; Mr. Colles on, 113 mode of origin of, 28 118 symptomatic of urinary disease, weakened after a few days, 116, 118 Intestines, ulceration of the, indicated by excited, 117, 119, 200 quick pulse, 108 perforation of the, 151 seq. softening of, 117 depression of, 121, 200; more marked in typhus, 122 Intestinal affections, secondary, 135 seq., 142 seq., 146 seq , 227 seq.

diminution of impulse of, 122 seq.,

vermicular impulse of, 128

nds of,

ince in f lung,

0 es and 341 at

s case

0

tion

the po-

ent rd,

Intestinal hemorrhage, 235 Intussusceptions in yellow fever of 1826-27, Involuntary muscular tissue in fever, 117

Iritis, specific and idiopathic, 184

TAIL-FEVER, 45 Jaundice in fever of 1826-27, 147 Jenner, Sir William, causes of enteric fever,

KENNEDY, Dr. Henry, on coexistence of various species of fever, 52 on cerebro-spinal fever, 169

LAENNEC on waste of red blood in fever, on phenomena of pneumonia, 95 on softening of the heart, "l'état poisseux," 107, 114

on muscular softening, 118 on error as to quick pulse in conva-lescence, 108, 245

Laryngeal muscles, paralysis of, 105 Laryngo-typhus of Rokitansky, 104 seq. ; aphonia in, 106 Larynx, inflammation of, 177

Latency of secondary affections, 74, 138° of intestinal perforation, 151 Law of periodicity, 1, 6, 21, 64, 77, 141, 187, 188, 210

interfered with by local irritation, 7, 141, 238 action restored, 238

Law, Dr. Robert, case of softening of spleen, on tartar emetic and opium, 242 Lawrence, Dr., on yellow fever, 148 Leeching, see blood-letting, or depletion. Levy on cerebro-spinal fever, 167

Liver, see Hepatic. Local changes in fever are symptomatic,

are subject to periodicity, 64 symptoms in fever, 57 functional or nervous, 57 anatomical, 57 secondarily inflammatory, 57

due to ansemic condition of organs, change masked by neighbouring irritation, 153

Lombard's, Dr., views on British fevers, 68 Louis, numerical system of, 29 investigations on delirium, 60 seq., 103, 159, 162 on softening of the heart, 114,

117, 122 Lyons, Dr., on tympanitic resonance of lung, 100 on cerebro-spinal fever, 169

MACDOWEL, Dr. E., affection of the joints,

Mackintosh, Dr., on emetics in bronchial affection, 224

MacSwiney, Dr., on cerebro-spinal fever,

Malaise in enteric fever, 188

Malignant fever, 45 purpuric fever, 166

smallpox, 173; measles, 173

Mayne, Dr., on cerebro-spinal fever of 1846, 172

Measles, malignant, 173

Medicine and surgery, hurtful effects of separation of, 7 preventive, contrasted with curative,

34 seq. Membranes, mucous, in fever, 66 serous, in fever, 66

Méningite foudroyante, 167

Meningitis, epidemic cerebro-spinal, 166 Mental study, unfavourable effect of, 71,

Mistura olei et opii, 230

"Mixed" or "semi-involuntary" muscular fibre in fever, 118

Mucous membranes in fever, 66

Murchison, Dr., on causes of enteric fever, 38 on distinctions of fevers, 52

on rarity of cerebritis in fever, on tentative stimulation, 216 on case of latent peritonitis, 232 on treatment of peritonitis, 235

Murmurs, cardiac, in fever, 181 seq. more frequent in enteric than in typhus, 131

Muscular softening in fever, 105 seq., 117 rigidity of abdomen, 141

NERVOUS local symptoms in fever, 58, 159, seq.

causes of, 222 Neuroses, 22 distinctions between, and fevers, 23 Nourishment, 188; see "Food." Numerical system of Louis, 29 fallacies of, 216 Nurse-tending, skilled, 214

Nutrient enemata, 214

Nymphomania, 174, 175 DEMA in phlegmasia, simulating abscess, 245 Opisthotonos, 172 Opium, 229, 233 seq., 242

in intestinal perforation, 233 mode of action of, 233 tolerance of, 234 wine and, in puerperal fever, 284

PAGET, Dr., on problems to establish ex-istence of contagion, 31 Paralysis of laryngeal muscles, 105 of bronchial muscles, 105, 223 of cardiac muscles, 105

Parenchymatous structures in fever, 66, 94 Parr, Mr., on turpentine-punch, 225

Pathognomonic physical signs do not exist, Pathological conditions in fever, 66 seq. of heart in fever, 127 Pathological school, 182 Perforation with peritonitis simulating poisoning, 219 Periodicity, law of, 6, 21, 64, 77, 141, 187, 188, 210 Peristaltic action in perforative peritonitis, 233 Peritoneum, insusceptibility of, to adhesion, 157, 231 Peritonitis, 151 seq; limited, 152 treatment of, 231 from eruption of pus, 155, 156 from perforation, 179 Phlebitis, question of, 246 Phlegmasia dolens, indicated by quick pulse in convalescence, 109, 245 seq. treatment of, 251 symmetry of affected limb in, 245 etiology of, 246 cases of, 112, 248 Phthisis, rarity of intestinal perforation in, 151 simulated by bronchial affection, 78, 79 a sequela of fever, 80 Physical signs, no pathognomonic, 134 of heart in fever, 126, 199; a guide in stimulation, 201 fear, 3 Physiological theory of disease, 5 difference between pus and white-blood cell, 157 Physiological school, 182 Physiology, experimental, fallacies attending, 187 Pin-hole pupil, 242 Pneumonia, typhoid, 89 croupous, or plastic, 247 Pneumonic complication of fever, 89, seq. forms, 89, 226 treatment, 226 Pneumo-thorax, 232 Pneumo-typhus, 72 Points of resemblance between forms of continued fever, 49 Poison of fever, a cause of nervous symptoms, 164 Poisoning simulated by internal perforation, 219 Post-mortem appearances in yellow fever of 1826-27, 147 Poulticing, 225, 227 Practice, change of, in treatment of fever, Pratt's, Dr., views on the causation of fever, 41 Preventive medicine, 34 seq.; object and scope of, 35

Dr. Acland on, 85

Principle of treatment of continued fever,

179 seq.; the same in all its forms, 2

Patency, aortic, "steel-hammer" pulse in, | Prognosis, 252; influence of appearance of vesicles on, 211 in cardiac affection of fever, 130, 145 in cerebro-spinal fever, 159, 222 Proximate cause of fever undiscovered, 23 Puerperal women liable to simulative ague, 113 fever, wine and opium in, 235 phlegmasia dolens in, 246 Pulmonary affections of fever, 70, 72 seq., treatment, 226 embolism in phlegmasia dolens, 248 Pulse not always a guide in fever, 106, 198 full and bounding, coincidently with weak heart, 107, 198 slow in convalescence, 107, 129, 204; in fatty degeneration, 129 rapid in convalescence, 108 weak with excited heart, 119 "steel-hammer," 140 lessened rate of, sign of agreement of stimulants, 203 Pulsation, increased arterial, 139 Purpuric fever, 166; smallpox, 178 Pus, escape of, into peritoneum, 155, 156 vital characters of, 157 Putrefaction, early, in cerebro-spinal fever, Putrid fever, 45 Pyæmia idiopathic, 110; secondary, 142 Pythogenic fever, 39, 45 UACK" and "empiric" contrasted, 180 Quick pulse in convalescence, 108, 245 its significance, 108 with tuberculosis, 108 in secondary intestinal inflammation, 108 in phlegmasia dolens, 109 RACE, influence of, 67, 206 Rank, influence of, on symptoms, 71, 197; on choice of food, 192; on giving of stimulants, 215 "Rational school," 182 Reactive local inflammation, 142, 164, 224 "Receipt to make a fever," 220 Receptivity of disease, 26 Relapsing fever, 52 seq. of 1847-48, 53 Resemblances between forms of continued fever, 49 typhus and enteric fevers, 50 seq. Resonance, tympanitic, in typhous consolidation of lung, 99 seq.
Retention of urine, 178, 243
Retraction of head, 171 Rheumatism, local increased arterial action in, 140 no specific treatment in, 2, 187 Rigidity of abdominal muscles, 140 of neck in cerebro-spinal fever, 171 Rokitansky on reactive inflammation, 65

on broncho-typhus, 69

Rokitar OI Rose-s Boutin Routin Rules 1

Rutty, CANI ) Se

> b p

> > C

i

C Sedat Seque Serou Shavi Sibso fev Signs 20

Slow Smal

Simu

Sleep

Smit Smit m 24 Soci

Soft Soli

Sou

Sou 1 Rokitansky on pneumo-typhus, 72
on laryngo-typhus, 104 seq.
Rose-spots, 145
Routine systems of practice, 218
Rautinism to be deprecated, 216
Rales for giving food in fever, 190
stimulants in fever, 196, 351
Ratty, Dr., observation on treatment, 45
(ANITARY science, 34 seq.

ance of

0, 145

ed, 28

ague,

2 seq.,

248

6, 198

with

204;

nt of

156

ver,

2

180

245

ma-

71,

ng

24

ed

i-

n

ANITARY science, 34 seq.

Secondary affections of essential diseases, 20, 21, 56
of continued fever, 26, 67 seq.
treatment of, 222 seq.
nature of the, 56
geographical variation of, 67
seat of, influenced by locality, 70
'by social rank, 71
alternating, 78
bronchial affection, 72 seq.; treatment

of, 223 seq.
pneumonic affection, 89 seq.; treatment of, 225 seq.
its three forms, 95, 96

of, 192 seq.; treatment of, 192 seq.; treatment of, 227 seq.

cerebral and nervous affections, 159
seq.; treatment of, 63
Sedatives, 242, 243

Sequela of fever, tubercule a, 80, 108 seq. Serous membranes in fever, 66 Shaving the head, 238

Sibson, Dr., on treatment of rheumatic fever, 1 Signs, physical, of heart in fever, 126, 199,

201
Simulative ague, 113
Sleeplessness, 242

treatment of, 242
Slow pulse in convalescence, 107, 129
in fatty degeneration of heart,
129

Smallpox, epidemic of hemorrhagic, 173 local depletion in, 164 Smith, David, on coexistence of various

species of fever, 52 Smith, Professor R. W., case of enlargement of lung in croupous pneumonia,

Social rank, influence of, on symptoms of fever, 71, 197

fever, 71, 197
on choice of food, 192
Softening of the heart in fever, 107, 114
begins in left ventricle,
115, 122

Solidist theory of disease, 5 Sound of heart, diminution of first, 124, 199

extinction of first, 125, 199
relative augmentation of second,
125

Sounds of heart, diminution of both, 125, 199

Sounds of heart in fevers, phenomena attending the, 124 seq. Spasms, 90

Species, not genera, of fever, 51, 135 Specific typhous deposit, 64 seq.

treatment in disease not attainable, 2,

Sphacelus of lung, 96; illustrative cases,

97, 227
Spleen, enlargement of, in 1826-27, 148;

softening of, 150 Splenic abscess, 149

Sponging of skin, 245

Spotted fever, 45, 166

"Steel-hammer" pulse, 140 Sthenic forms of disease, return to, 17

Sthenic forms of disease, return to, 17 Stillé on nature of cerebro-spinal fever, 168

Stimulants in fever, 116, 130, 188, 193 seq., 201 seq., 212 seq. question of nutrient properties of, 194

disagreement of, 195, 215 anticipative use of, 195, 223 dependent on age and habits,

196, 215 heart, 199 seq

signs of agreement of, 202, 215 necessity for persevering in use of, 214

should not be given by routine, 217 in delirium, 241

Stockholm, epidemic of 1841 at, 130 Stokes, Dr. Whitley, his anecdote of Mr. West at Rosetta, 8

researches on contagion, 30, 33,

Subsultus tendinum, 243
Suppression of urine, 244
Surgery, exclusive study of, to be depre-

cated, 2
Surgical student advised to study fever, 1
Swelling, abdominal in fever, 139

Swelling, abdominal, in fever, 139 treatment of, 229 Symptoms, latent, 78, 138, 189, 151, 152

of cerebro-spinal fever, 170 absence of, an unfavourable feature, 207

Symptomatic fever, 55, 141

Symptomological school, 6, 181 theory of disease held by, 6, 181 Syncope, death by, in phlegmasia dolens,

248 Syphilis, analogy between, and fever, 33 System, numerical, of Louis, 29

TARTAR emetic, dangers of, 224 and only 242

1 and opium, 242
Temperature increased, constant in fever, 165

Temperatures in fever [Appendix B], 253 Temporal artery, opening of, 288, 240 Tenderness of abdomen, 139

Tenderness of abdomen, 139 Theories of disease, 5, 6, 218 Therapeutical research, 187

Thermometrical observations in fever, 253 Thirst, 139

Thoracic symptoms in fever, 56, 62, 72 Typhus, 45: causes of, Dr. Graves on, 37 seq., 89 seq. Timidity from want of bedside experience of fever, 3 Todd, Dr., on secondary pyæmia, 142 on stimulants in fever, 194 Tongue, the, in fever, 141 Tonics in fever, 130 Toxic diseases, 24 Transfusion of blood, 120 Treatment of fever based on general principles, 2, 131, 179 seq. antiphlogistic, not exclusively to be used in primary inflammation, 5 of typhus and enteric fever, essentially the same, 48 objects to be sought for in, 48 of smallpox by local depletion, 164 no specific treatment, 186 of the local secondary affections, 222 of bronchial affection, 77, 223 seq. of intestinal affection, 227 seq. of head affection, 287 seq phlegmasia alba dolens, 251 fever, change of practice in, 10 by food and stimulants, 188 seq. Treatment, anticipative, 195 Trousseau, Professor, on phlegmasia alba dolens, 246 seq. Tubercle, analogy between, and fever, 33 as a sequela of fever, 80, 108 acute coexisting, 80 acute consequent, 81 consequent softened, 81 indicated by quick pulse in convales-cence, 108 . Tubercular cachexia, phlegmasia dolens in, 246 Tubercular fever, 84 seq., 152; contagious, 88; an essential disease, 88 Tumefaction of belly, 189 Turpentine fomentations, 225 injections, 229, 280 "Turpentine-punch," 225 Tussis chingosa, 104 ferina, 174, 176 Tympanites, 139, 146, 230; treatment of, Tympanitic resonance in typhous consolidation of lung, 99 Dr. Hudson's view, 99 Dr. Lyons' view, 100 Dr. Hayden's view, 101 author's view, 101 Type in disease, change of, 10; see Change of type. Alison on, 12 Christison on, 12 seq. the author on, 14 seq.

Typhoid fever, see Enteric fever.

Typhous deposit, specific, 64 seq

Typhoid pneumonia, 89; its forms, 90

not dependent on gastritis, 98

vital character of, 65

species, not genera, of fever, 51, 135 aborted, 91 laryngo-, 104 seq. broncho-, 68; pneumo-, 72 Typhus abdominalis, 72 gravior, 45 malignant, 45 ILCERATION of the intestines indicated by quick pulse, 108 latent, 139 in epidemic of 1826-27, 143 seq. Uræmia, 244 a cause of nervous symptoms, 164, 243 Uræmic convulsions, 244 Urine, retention of, 178, 243 effervescence of, in uramia, 244 suppression of, 244; its treatment, 244 Urohæmatin as an indication of blood-waste, 120, 121 TARIETIES of continued fever, 42; see Fever, continued. Veins, cordy and painful state of, 246 Venesection in fever, 10, 15 Venienti occurrite morbo, 195 Venous irritation, 246 "Vermicular" impulse of heart, 123 Vesicles in fever, 209 influence on prognosis, 211 Vis medicatrix naturæ, 218 Vital phenomena, study of, the basis of the healing art, 18 character of disease, 19, 184 typhous deposit, 65 depression of the heart, 204 Voluntary muscular tissue in fever, 117, Vomiting, black, 147 WANT of accordance of phenomena, diagnosis from, 82, 134 Warm stupes in headache, 237 Weakness of the heart, 116, 199 West, Mr., and his party, at the Rosetta Pest Hospital, 3 White blood cells and pus corpuscles, 157 Whitlow, increased arterial pulsation in, 139 Wine in fever, 213; see Stimulants. and opium in puerperal fever, 234 sedative effect of, 242 Wolff, Mr. A., on the correlation of diseases (foot-note), 39 ELLOW fever" of 1826-27, 111, 187, 146 seq., 166 Yellow fever, Dr. Lawrence on, 148 YMOTIC diseases, convertibility of, 40 correlation of, 40

and enteric contrasted, 45 seq.

resemblances between, 50 seq., 186,

87 86.

86, 51,

ted

q. 243

244 ste,

866

the

17,

di-

tta 7 in,

es 7,

3